

Registration form

Name: _____

Surname: _____

Matriculation number: _____

Mini-symposium:

Preferred presentation mode (mark your choice):

ORAL presentation

POSTER presentation

Audience on mini- symposium only

2 ECTS credits are granted for the participation on both days.

Therefore, please register also for the lecture - Bio-Resources and Technologies (970402) in BokuOnline.

Send this form including your abstract by September 17th 2023 to docday-tulln@boku.ac.at

The oral presentation should last 12-15 min followed by 5 min of discussion. Please keep the time!

Posters have to be in A0 format and will be presented with a 2 min pitch during poster walks.

Name Surname

Institute, Department, University, Address

Email-address

Title of Abstract

Musterman Max¹, Musterfrau Anna², Author³...

1 Institute, Department, University of Author¹

2 Institute, Department, University of Author²

3 Institute, Department University of Author³

...

Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text:
Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text:
Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text:
Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text:
Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text:
Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text:
Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Abstract text: Font
size 11, Font style Calibri; Example see page 3

Max. 300 Words. **If you don't follow the abstract rules, your abstract will be printed in pink.**

References

(optional – delete if not needed)

[1] Reference1 (optional- delete if not needed)...Text Font size 11, Font style Calibri

[2] Reference2 (optional- delete if not needed)...Text Font size 11, Font style Calibri

Acknowledgements

(optional – delete if not needed) This work was supported by...Text Font size 11, Font style Calibri

Marine Ollier

BOKU-University of Natural Resources and Life Sciences, IFA Tulln, Austria, Charles Viollette Research Institute, Université Lille1, Villeneuve dAscq, France, Florimond-Desprez, Cappelle-en-Pévèle, France

marine.ollier@boku.ac.at

Assessing fusarium damaged kernels by digital picture analysis

Marine Ollier^{1,2,3}, Simon Duerr¹, Zoe Le Bihan¹, Jacob Heillinger¹, Vincent Talle¹, Anne-Laure Brisset¹, Ellen Goudemand³, Olivier Robert³, Jean-Louis Hilbert², Hermann Buerstmayr¹

1 BOKU-University of Natural Resources and Life Sciences, IFA Tulln, Austria

2 Charles Viollette Research Institute, Université Lille1, Villeneuve dAscq, France

3 Florimond-Desprez, Cappelle-en-Pévèle, France

Fusarium Head Blight (FHB) is a cereal disease that induces important yield losses and contaminates the kernels with mycotoxins^[1]. In order to determine the plants resistance level, the more accurate method is to evaluate the mycotoxin content in the kernel samples. The cost of this direct check remains prohibitive. As infected kernels are smaller, shriveled and whiter, another method widely used is to visually estimate the proportion of Fusarium Damaged Kernels (FDK). This method is an easy and efficient way to estimate the mycotoxin content but is time consuming and labor intensive. Digital picture analysis could be a very good option to simplify evaluation. With this new method, pictures are taken with a simple camera in controlled light conditions. We used RGB criteria to segregate the picture's pixels in 3 categories: Background pixels, Healthy-grain pixels and Diseased-grain pixels. The Whitened Kernel Surface (WKS) is then calculated as the proportion of diseased-grain pixels. We tested this method on 150 infected bread wheat samples and 50 infected triticale samples. We showed a high Pearson correlation between FDK and WKS ($\rho=0.7$ for bread wheat and triticale), and between mycotoxin content and WKS ($\rho=0.85$ for bread wheat and $\rho=0.6$ for triticale). This new notation criterion based on pictures analysis is a promising tool for breeders and researchers. It is as efficient as the traditional visual notation and happens to be faster, easier and more stable. A very economical way to evaluate mycotoxin content and to enable the large scale scoring and ranking needed to select resistant cereal varieties for the future.

Acknowledgements

We gratefully acknowledge financial support from the French Ministry of Higher Education and Research, through CIFRE funding (Conventions Industrielles de Formation par la Recherche).